

04 Recessed Spots Adjustable LED>The 3x1W Square Spots Aluminium

51103L/D/15



3W LED adjustable recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Must be ordered separately



89004



89004T

Physical Specification

| | |
|----------------------|----------------------------------|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | The 3x1W Square Spots Aluminium |
| Order Code | 51103L/D/15 |
| Colour | Aluminium |
| Material | Natural Aluminium |
| Shape | Rectangular |
| Length | 80mm |
| Width | 80mm |
| Height | 40mm |
| Cutout Hole Diameter | 70mm |
| Recessed Ceiling | Yes |
| Depth Required | 50mm |
| Indoor | Yes |
| Adjustable | 1 Direction |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 3 |
| Cable Length | 40cm |
| F Mark |  |

Illumination Data

| |
|----------------------|
| Colour Temperature |
| Lumen Output |
| Light Efficiency |
| Beam Angle |
| Illumination Diagram |

6000K

180lm

60lm/W

15°



Packing Info

| |
|------------|
| Pcs/Carton |
| Barcode |
| HS Code |

60

5291889019435

9405409900

Certification & Warranty

| |
|----------------|
| Warranty |
| Weee Directive |

2 Years

Yes

switch to
one light!

one
LIGHT

