

04 Recessed Spots Adjustable LED>The 3x1W Square Spots Aluminium

51103L/W/15



3W LED adjustable recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Must be ordered separately



89004





89004T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 3x1W Square Spots Aluminium
Order Code	51103L/W/15
Colour	Aluminium
Material	Natural Aluminium
Shape	Rectangular
Length	80mm
Width	80mm
Height	40mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	135lm
Light Efficiency	45lm/W
Beam Angle	35°
Illumination Diagram	

3000K

135lm

45lm/W

35°



Packing Info

Pcs/Carton	60
Barcode	5291889019442
HS Code	9405409900

60

5291889019442

9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

2 Years

Yes

switch to
one light!

one
LIGHT

