

18 Decorative>LED Pendant Rings

62144NB/W/W



50W LED Pendant, IP20 suitable for residential and commercial application.

Complete with 1200mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	62144NB/W/W
Colour	White
Material	Metal
Shape	Circular
Height	1200mm
Diameter	610mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		50W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		1200mA	
Voltage		40V	
Power(Watts)		48W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		SMD 2835	
LED Brand		Bridgelux	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		36-50,4W	

Power Factor	0,9
Constant Current	Yes
1200mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	3000lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	68cm
Box Width	68cm
Box Height	12cm
Box Weight	3,6Kg
Pcs/Carton	1
Carton Length	68cm
Carton Width	68cm
Carton Height	12cm
Carton Weight	3,6Kg
Barcode	5291889056836
HS Code	9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

