

## 14 Plafo>The LED Slim Line Plafo

## 62146/B/W



55W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Physical Specification

Item Group

14 Plafo

Family

The LED Slim Line Plafo

Order Code

62146/B/W

Colour

Black

Material

Iron

Diffuser Material



Plastic


Shape

Circular


Height	75mm
Diameter	550mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	55W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	600mA
Voltage	90V
Power(Watts)	54W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan
F Mark	

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	54-60W
Power Factor	0,9
Constant Current	Yes
600mA	90-100V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

## Illumination Data

Colour Temperature	3000K
Lumen Output	4100lm
Light Efficiency	74,57lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

## Packing Info

Box Weight	4.100kg
Pcs/Carton	1
Barcode	5291889064671
HS Code	9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

