

## 18 Decorative&gt;LED Pendant Rings

## 62180NB/B/W



80W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 1000mA drivers.

Complies with standard EN60598-1 and any other specific standards.



## Downloads






## Dimensions




## Physical Specification

Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	62180NB/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	1500mm
Diameter	780mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		80W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		1000mA	
Voltage		2x38V	
Power(Watts)		2x38W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		SMD 2835	
LED Brand		Epistar	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		27-42W	

Power Factor	0,9
Constant Current	Yes
1000mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud


## Illumination Data

Colour Temperature	3000K
Lumen Output	4400lm
Light Efficiency	55lm/W
CRI	80
Illumination Diagram	

## Packing Info

Pcs/Carton	1
Barcode	5291889062769
HS Code	9405409900

## Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

