



# Product Datasheet

www.1-light.eu

09 Track Lights>The Track Floodlight Range

65040T/B/C



40W COB LED track spot with, ideal for shops and showrooms.

Complete with 1050mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/B



40003A/B


Physical Specification

Item Group	09 Track Lights
Family	The Track Floodlight Range
Order Code	65040T/B/C
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	225mm



Width	110mm	Завантажено з mamadecor.ua
Height	220mm	
Track mounted	Yes	
Indoor	Yes	
Adjustable	2 Directions	


Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	1050mA
Voltage	36V
Power(Watts)	37,8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Sanan
LED Number	1

Gear
------

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
1050mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Led Driver	Завантажено з mamadecor.ua
220-240V	
Yes	
Yes	
31,5-44,1W	
0,9	
Yes	
30-42V	
IP20	
	
No	
Plastic	
Connector	
Lifud	

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

4000K
3600lm
90lm/W
90
60°


Packing Info

Pcs/Carton
Barcode
HS Code

6
5291889068112
9405409900

## Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

