

09 Track Lights&gt;The Track Floodlight Range

65040T/W/C



40W COB LED track spot with, ideal for shops and showrooms.

Complete with 1050mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Related items



40002A/W



40003A/W

## Physical Specification

Item Group

09 Track Lights

Family

The Track Floodlight Range

Order Code

65040T/W/C

Colour

White

Material

Aluminium

Shape


Rectangular

Length

225mm


Width	110mm
Height	220mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	1050mA
Voltage	36V
Power(Watts)	37,8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Sanan
LED Number	1

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	31,5-44,1W
Power Factor	0,9
Constant Current	Yes
1050mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud

## Illumination Data

Colour Temperature	4000K
Lumen Output	3600lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	60°
Illumination Diagram	

## Packing Info

Pcs/Carton	6
Barcode	5291889068129
HS Code	9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

