

## 09 Track Lights&gt;The Cylindrical Track Light

## 65608T/G/D



3x1W LED track spot with, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Related items



40003A/G

## Physical Specification

Item Group	09 Track Lights
Family	The Cylindrical Track Light
Order Code	65608T/G/D
Colour	Grey
Material	Die Cast
Shape	Circular
Height	170mm

Diameter	55mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics

Gear	Built In
------	----------

## Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

## Fitting

Input Type	Constant Current
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3W

Power Factor	0,5
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

#### Illumination Data

Colour Temperature	6000K
Lumen Output	217lm
Light Efficiency	72,33lm/W
Beam Angle	60°
Illumination Diagram	

#### Packing Info

Box Weight	0.717kg
Pcs/Carton	30
Barcode	5291889024071
HS Code	9405413990

#### Certification & Warranty

Warranty	2 years
----------	---------

switch to  
**one light!**

**one**  
LIGHT

