

09 Track Lights>The COB Track Light Range Aluminium

## 65612NT/B/W



30W track spot with COB LED, ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Related items



40001A/B



40002A/B



40003A/B

### Physical Specification

Item Group

09 Track Lights

Family

The COB Track Light Range Aluminium

Order Code

65612NT/B/W

Colour

Black

Material

Aluminium

Shape

Circular

Height

123mm

Diameter	90mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics

Gear	Built In
------	----------

## Fitting + Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

## Fitting


Input Type	Constant Current
Input Current	750mA
Voltage	38V
Safety Class	
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux

## Gear

Gear Type	Led Driver
-----------	------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	25-30W
Power Factor	0,9
Constant Current	Yes
750mA	33-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Protection	Short Circuit Protection

#### Illumination Data

Colour Temperature	3000K
Lumen Output	2700lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

#### Packing Info

Box Length	25cm
Box Width	10cm
Box Height	10cm
Box Weight	1.140kg
Pcs/Carton	10
Barcode	5291889057895

Certification & Warranty

Warranty

3 years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

