

09 Track Lights>The COB Cylinder Range

65632T/W/W



35W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



40002A/W



40003A/W

Physical Specification

Item Group

09 Track Lights

Family

The COB Cylinder Range

Order Code

65632T/W/W

Завантажено з mamadecor.ua

Colour

White

Material

Aluminium

Shape

Circular

Height

145mm

Diameter

110mm

Track mounted

Yes

Indoor

Yes

Adjustable

2 Directions

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

35W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

Fitting

Input Type

Constant Current

Input Current

900mA

Voltage

37V

Safety Class



Power(Watts)

33,3W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

Завантажено з mamadecor.ua

LED Brand

Lumileds

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

21-30W

Power Factor

0,95

Constant Current

Yes

700mA

30-43V

IP Rating

IP20

Safety Class



Dimmable

No

Ambient Temp

50°C

Operating Temp

80°C

Housing Material

Plastic

Output Terminal

Connector

Brand

Tridonic

Protection

Short Circuit Protection

Illumination Data

Colour Temperature

3000K

Lumen Output

3200lm

Light Efficiency

91,42lm/W

CRI

80

Beam Angle

36°

Illumination Diagram



Packing Info

Box Length	31cm
Box Width	13,5cm
Box Height	13,5cm
Box Weight	1,48kg
Pcs/Carton	9
Barcode	5291889050216
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
Average Lifetime	30000hours
Weee Directive	Yes

switch to
one light!

one
LIGHT

