

09 Track Lights>The Zoomable Range

65648T/B/W



30W COB LED adjustable beam 12°-60° Track Spot

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/B



40003A/B

Physical Specification

Item Group

09 Track Lights

Family

The Zoomable Range

Order Code

65648T/B/W

Colour

Black

Material

Aluminium

Shape

Circular

Height

95mm

| | |
|---------------|--------------|
| Diameter | 100mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics

| | |
|------|----------|
| Gear | Built In |
|------|----------|

Fitting + Driver


| | |
|---------------|---|
| Input Voltage | 120-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 30W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

Fitting


| | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 40V |
| Power(Watts) | 28W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Citizen |

Gear

| | |
|---------------|------------|
| Gear Type | Led Driver |
| Input Voltage | 120-240V |

| | |
|------------------|---|
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 11,2-28W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 700mA | 16-40V |
| IP Rating | IP20 |
| Safety Class |  |
| Brand | Powergear |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 2550lm |
| Light Efficiency | 85lm/W |
| CRI | 80 |
| Beam Angle | 12°-60° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 12 |
| Barcode | 5291889061076 |
| HS Code | 9405409900 |

Certification & Warranty

Warranty

3 Years

[Завантажено з mamadecor.ua](http://mamadecor.ua)

Weee Directive

Yes

switch to
one light!

one
LIGHT

