

13 Wall & Ceiling LED>Window Frame Illumination

67454/AN/C



6W LED for window frame illumination, IP65.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Physical Specification

Item Group

13 Wall & Ceiling LED

Family

Window Frame Illumination

Order Code

67454/AN/C

Colour

Anthracite

Material

Die Cast

Shape

Rectangular

Length

140mm

Width	95mm
Height	62mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes
IK Rating	8

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	11V
Power(Watts)	5,5W
IP Rating	IP65
Light Source	LED built in
LED Type	COB

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

3-6W

Power Factor

0,5

Constant Current

Yes

500mA

6-12V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Eaglerise

Illumination Data

Colour Temperature

4000K

Lumen Output

330lm

Light Efficiency

55lm/W

CRI

80

Beam Angle

270°

Illumination Diagram



Packing Info

Box Length

14,5cm

Box Width

10cm

Box Height

7,5cm

Box Weight

0.772kg

[Завантажено з mamadecor.ua](http://mamadecor.ua)

Pcs/Carton

18

Barcode

5291889071174

HS Code

9405409900

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

