

13 Wall & Ceiling LED>The Backlight Range

67532/B/W



15W LED Wall and Ceiling Dark light.

Complete with 190mA TRIAC dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Backlight Range
Order Code	67532/B/W
Colour	Black
Material	Aluminium
Diffuser Material	PC
Shape	Circular
Height	55mm
Diameter	250mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

15W

IP Rating

IP65

Light Source

LED built in

Dimmable

Yes

Dimmer type

Triac

F Mark



Fitting

Input Type

Constant Current

Input Current

190mA

Voltage

70V

Power(Watts)

13,3W

IP Rating

IP65

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Hongli

Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz

Yes

60 Hz	Yes
Power(Watts)	12,35-14,25W
Power Factor	0,9
Constant Current	Yes
Output	65-75V
Voltage Range	190mA
IP Rating	IP65
Safety Class	
Dimmable	Yes
Dimmer type	Triac
Housing Material	Plastic
Output Terminal	Cable

Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	73,33lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	1.316kg
Pcs/Carton	12
Barcode	5291889076100
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

