


19 Wall Recessed & Inground>Indoor/Outdoor Dark Light Wall Recessed

68032/W/W



3W LED recessed wall light, IP54, ideal for, indoor and outdoor, corridors and stairs illumination.

Complete with driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Indoor/Outdoor Dark Light Wall Recessed
Order Code	68032/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	70mm
Width	70mm
Height	45mm
Cutout Hole Diameter	52mm
Recessed wall	Yes
Depth Required	110mm Concrete 50mm Gypsum



Indoor
Outdoor
Adjustable

Yes
Yes
No

Electrical Characteristics

Gear	
Fitting + Driver	
Input Voltage	
50 Hz	
60 Hz	
Safety Class	
Power(Watts)	
IP Rating	
Light Source	
Dimmable	
F Mark	


Built In

100-240V
Yes
Yes

3W
IP54
LED built in
No


Fitting

Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Brand
F Mark

Constant Current
700mA
4V

2,8W
IP54
LED built in
Cree



Gear

Gear Type

Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2,8-3,5W
Power Factor	0,5
Constant Current	Yes
700mA	4-5V
IP Rating	IP20
Safety Class	
Brand	HEP

Illumination Data

Colour Temperature	3000K
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	11cm
Box Width	7,5cm
Box Height	7,5cm
Box Weight	0.380kg
Pcs/Carton	30
Barcode	5291889076810
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

