

19 Wall Recessed & Inground>Outdoor Decorative Wall Recessed Die cast

68052/W/W

4W LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Complete 350mA driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Outdoor Decorative Wall Recessed Die cast
Order Code	68052/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	110mm
Width	80mm
Height	85mm
Cutout Hole Width	100mm for Concrete Installation 95mm for Gypsum Installation
Cutout Hole Length	70mm for Concrete & Gypsum Installation
Recessed wall	Yes

Depth Required

80mm

Завантажено з mamadecor.ua

Indoor

Yes

Outdoor

Yes

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

4W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

8,5V

Safety Class



Power(Watts)

3W

IP Rating

IP65

Light Source

LED built in

LED Type

SMD 2835


LED Brand

Edison


F Mark



Gear

Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4W
Power Factor	0,5
Constant Current	Yes
350mA	3-12V
IP Rating	IP20
Safety Class	
Brand	0
Protection	0


Illumination Data

Colour Temperature	3000K
Lumen Output	400lm
Light Efficiency	100lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0,430Kg
Pcs/Carton	20
Barcode	5291889050438
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

