

Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>Outdoor Surface Square Points Die cast

67242/G/D



3W LED wall and ceiling light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Gallery



Physical Specification

| Item Group | 13 Wall & Ceiling LED |
|------------|--|
| Family | Outdoor Surface Square Points Die cast |
| Order Code | 67242/G/D |
| Colour | Grey |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 134mm |
| | |

| Width | 70mm Завантажено з mamadecor.ua |
|---------------------------|--|
| Height | 39mm |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |
| | |
| lectrical Characteristics | |
| Coor | Duille la |
| Gear | Built In |
| Fitting + Driver | |
| | 100.240\/ |
| Input Voltage | 100-240V Yes |
| 50 Hz 60 Hz | Yes |
| | Tes Tes |
| Safety Class | |
| Power(Watts) | 3W |
| IP Rating | IP54 |
| Light Source | LED built in |
| Dimmable | No Variable Control of the Control o |
| F Mark | F |
| | |
| Fitting | |
| Input Type | Constant Current |
| Power(Watts) | 3W |
| IP Rating | IP54 |
| Light Source | LED built in |
| | |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| | |

| 60 Hz | Yes Завантажено з mamadecor.ua |
|--------------------------|--------------------------------|
| Power(Watts) | 3W |
| Constant Current | Yes |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| | |
| Illumination Data | |
| | |
| Colour Temperature | 6000K |
| Illumination Diagram | |
| Dark Light | Yes |
| | |
| Packing Info | |
| | |
| Box Weight | 0.467kg |
| Pcs/Carton | 30 |
| Barcode | 5291889018605 |
| HS Code | 9405409900 |
| | |
| Certification & Warranty | |
| | |
| Warranty | 2 Years |

switch to one light!

Weee Directive



Yes