

19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

69042/AL/W

1W COB LED inground, IP67, aluminium, for path illumination.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



89004T

Physical Specification

Item Group

19 Wall Recessed & Inground

Family

The Inground Mini Series Natural Aluminium

Order Code

69042/AL/W

Colour

Aluminium

Material

Natural Aluminium



Diffuser Material

Glass

| | |
|----------------------|--|
| Shape | Circular |
| Height | 53mm |
| Diameter | 37mm |
| Cutout Hole Diameter | 30mm decking 35mm concrete |
| Inground | Yes |
| Depth Required | 80mm deck 95mm+300mm drainage Concrete |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Voltage | 3,1V |
| Safety Class |  |
| Power(Watts) | 1W |
| IP Rating | IP67 |
| Light Source | LED built in |
| LED Type | SMD |
| LED Brand | Cree |
| LED Number | 1 |
| Cable Length | 200cm |
| F Mark |  |

Illumination Data

| | |
|--------------------|--------|
| Colour Temperature | 3000K |
| Lumen Output | 80lm |
| Light Efficiency | 80lm/W |


Illumination Diagram



Packing Info

| | |
|------------|---------------|
| Box Length | 6,5cm |
| Box Width | 5cm |
| Box Height | 10,5cm |
| Box Weight | 0,188Kg |
| Pcs/Carton | 50 |
| Barcode | 5291889045243 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

| | |
|------------------|------------|
| Warranty | 2 Years |
| Average Lifetime | 50000Hours |
| Weee Directive | Yes |

switch to
one light!

one
LIGHT

