


19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

69042A/AL/W

1W COB LED inground, IP67, aluminium, for path illumination.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004



89004T


Physical Specification

Item Group	19 Wall Recessed & Inground
Family	The Inground Mini Series Natural Aluminium
Order Code	69042A/AL/W
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass
Shape	Circular
Height	53mm
Diameter	37mm
Cutout Hole Diameter	30mm decking 35mm concrete
Inground	Yes
Depth Required	80mm deck 95mm+300mm drainage Concrete
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	3,1V
Safety Class	
Power(Watts)	1W
IP Rating	IP67
Light Source	LED built in
LED Type	SMD
LED Brand	Cree

LED Number	1
Cable Length	200cm
F Mark	


Illumination Data

Colour Temperature	3000K
Lumen Output	30lm
Light Efficiency	30lm/W
CRI	85
Illumination Diagram	

Packing Info

Box Length	6,5cm
Box Width	5cm
Box Height	10,5cm
Box Weight	0,188Kg
Pcs/Carton	50
Barcode	5291889045250
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Average Lifetime

50000Hours

Weee Directive

Yes

switch to
one light!

one
LIGHT

