


19 Wall Recessed &amp; Inground&gt;The COB Inground Range

69050A/W



20W COB LED inground with removable honeycomb, IP67, stainless steel 316, for path illumination.

AC LED .


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

19 Wall Recessed &amp; Inground

Family

The COB Inground Range

Order Code

69050A/W

Colour

Stainless Steel

Material

Stainless Steel 316

Diffuser Material



Glass

Shape

Rectangular

Length	145mm
Width	145mm
Height	140mm
Cutout Hole Diameter	132mm
Inground	Yes
Depth Required	200mm+300mm drainage
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

## Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP67
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
Cable Length	200cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	1800lm

Light Efficiency
CRI
Beam Angle
Illumination Diagram

90lm/W

80

25°



Packing Info

Pcs/Carton
Barcode
HS Code

6

5291889055921

9405409900

Certification & Warranty

Warranty
Weee Directive

2 Years

Yes

switch to  
**one light!**

