

19 Wall Recessed & Inground>The COB Inground Adjustable Range

69054A/W



30W COB LED inground IP67, stainless steel 316, adjustable range.

AC LED .


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

19 Wall Recessed & Inground

Family

The COB Inground Adjustable Range

Order Code

69054A/W

Colour

Stainless Steel

Material

Stainless Steel 316

Diffuser Material



Glass

Shape

Circular


Height	270mm
Diameter	270mm
Cutout Hole Diameter	330mm
Inground	Yes
Depth Required	330mm + 300mm drainage
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction
IK Rating	10

Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP67
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
Cable Length	200cm
F Mark	

Illumination Data


Colour Temperature	3000K
Lumen Output	2000lm
Light Efficiency	66,67lm/W

CRI	80
Beam Angle	20°
Illumination Diagram	

Packing Info

Box Length	34cm
Box Width	34cm
Box Height	35cm
Pcs/Carton	1
Barcode	5291889057291
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

