


19 Wall Recessed & Inground>Ground Surface Mounted Range

69058A/G/W



6W COB LED Surface ground, IP67 for path illumination.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

19 Wall Recessed & Inground

Family

Ground Surface Mounted Range

Order Code

69058A/G/W

Colour

Grey

Material

Die Cast

Shape



Circular


Height

42mm

Diameter	200mm
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP67
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	10V
Safety Class	
Power(Watts)	5W
IP Rating	IP67
Light Source	LED built in
LED Type	COB

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

3-6W

Power Factor

0,9

Constant Current

Yes

500mA

6-12V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Connector

Brand

Eaglerise

Illumination Data

Colour Temperature

3000K

Lumen Output

300lm

Light Efficiency

50lm/W

CRI

80

Illumination Diagram



Packing Info

Pcs/Carton


12

Barcode

5291889065852

HS Code

9405409900



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

