

# Alien

Series of indoor light fixtures equipped with SMD LEDs, structure of aluminum and metal painted in sand white or with bronze finishing, diffuser of opal white silicone.




01-1801



**Alien**



01-1812




01-1805



01-1804




# Alien



01-1799



01-1802



01-1801

# Alien

*Series of indoor light fixtures equipped with SMD LEDs, structure of aluminum and metal painted in sand white or with bronze finishing, diffuser of opal white silicone.*

Serie de corpuri de iluminat pentru interior echipate cu LED-uri SMD, structură din aluminiu și metal vopsit alb mat sau finisat bronz, dispersor din silicon alb opal.

Serie di apparecchi per interni, equipaggiati con SMD LED, struttura in alluminio e metallo verniciato bianco opaco o con finitura bronzo, diffusore in silicone opalino bianco.

Серия светильников для интерьера оснащенных светодиодами SMD, структура из алюминия и металла окрашенного в белый матовый цвет или отделанная под бронзу, рассеиватель из белого опалового силикона.


Beltéri lámpa testek, SMD LED-el szerelve, matt fehér vagy bronz színű alumínium szerkezet, szilikon fehér opál diszperzór.

Серия интерьерни осветители с SMD LED платка, корпус от алуминий и стомана в бял мат или бронз, дифузер от бял силикон.

Séria svietidiel pre interiér, vybavených LED diódami SMD, štruktúra hliníka a kovu lakovaná v matnej bielej alebo bronzovej povrchovej úprave, difuzor z opálového bieleho silikónu.




- art. **01-1799 Sand White 3000K**
- art. **01-1800 Bronze 3000K**
- art. **01-1861 Sand White 4000K**
- art. **01-1862 Bronze 4000K**



Led type	SMD LED 2835 432 pcs x 0,10W	
Power	40W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	5230 lm	6151 lm
Lumen system	3645 lm	3827 lm
CRI	80	
Dimmable (3 step)	☉	

CE IP20


- art. **01-1801 Sand White 3000K**
- art. **01-1802 Bronze 3000K**
- art. **01-1863 Sand White 4000K**
- art. **01-1864 Bronze 4000K**



Led type	SMD LED 2835 612 pcs x 0,095W	
Power	62W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	7538 lm	7978 lm
Lumen system	4860 lm	5127 lm
CRI	80	
Dimmable (3 step)	☉	

CE IP20


- art. **01-1803 Sand White 3000K**
- art. **01-1804 Bronze 3000K**
- art. **01-1865 Sand White 4000K**
- art. **01-1866 Bronze 4000K**



Led type	SMD LED 2835 432 pcs x 0,10W	
Power	40W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	5230 lm	6151 lm
Lumen system	3645 lm	3827 lm
CRI	80	
Dimmable (3 step)	☉	

CE IP20


- art. **01-1805 Sand White 3000K**
- art. **01-1806 Bronze 3000K**
- art. **01-1867 Sand White 4000K**
- art. **01-1868 Bronze 4000K**



Led type	SMD LED 2835 612 pcs x 0,095W	
Power	62W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	7538 lm	7978 lm
Lumen system	4860 lm	5127 lm
CRI	80	
Dimmable (3 step)	☉	

CE IP20

- art. **01-1811 Sand White 3000K**
- art. **01-1812 Bronze 3000K**
- art. **01-1869 Sand White 4000K**
- art. **01-1870 Bronze 4000K**



Led type	SMD LED 2835 792 pcs x 0,088W	
Power	75W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	9733 lm	10439 lm
Lumen system	5740 lm	6050 lm
CRI	80	
Dimmable (3 step)	☉	

CE IP20